AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

	a b loss of the second
1	5 1. (Currently amended) A method for selectively auditing accesses to a
2	relational database, comprising:
3	receiving a query for the relational database;
4	selectively auditing an access to the relational database, wherein selectively
5	auditing the access involves automatically modifying the query prior to processing
6	the query, so that processing the query causes an audit record to be created and
7	recorded only for rows in relational tables that are actually accessed by the query
8	and that satisfy an auditing condition and not for other rows,
9	wherein the auditing condition specifies a condition based on a value
10	of a field in a row in the relational database, and wherein
11	satisfying the auditing condition allows selective auditing of the
12	query;
13	processing the modified duery to produce a query result, wherein processing
14	the modified query includes,
15	creating the audit record for rows in relational tables that are
16	accessed by the query and that satisfy the auditing condition, and
17	recording the audit record in an audit record store; and
18	returning the query result.
1	2. (Original) The method of claim 1, further comprising, if the query
2	includes a select statement, inserting a case statement into the select statement that

8 1 2		
4	3	calls a function that causes the audit record to be created and recorded if the
	4	auditing condition is satisfied.
<u> </u>		\mathcal{L}
A	1 1	3. (Previously presented) The method of claim 2, further comprising
	2	ensuring that the case statement is evaluated near the end of the query processing so
	3	that the case statement is evaluated only after other conditions of the query are
	4	satisfied.
•		3
	1	A. (Original) The method of claim 1, further comprising retrieving the
	2	auditing condition for a given table from a data structure associated with the given
•	3	table.
-		и /
	1	(Original) The method of claim 1, wherein if the query modifies at least
	2	one entry in the relational database, using a relational database system trigger to
	3	create and record the audit record for the modification to the relational database.
	1	6. (Original) The method of claim 2, wherein inserting the case statement
-	2	into the query further comprises:
	- 3	inserting the case statement into the query;
	4	allowing a query processor to allocate buffers for the query;
Ì	5	removing the case statement from the query;
	6	allowing the query processor to generate a query plan for the query; and
1	7	scheduling the case statement near the end of the query plan to ensure that
	8	the case statement is evaluated only after other conditions of the query are satisfied,
ļ	9	so that the audit record is created only for rows that are actually accessed by the
1	10	query.
- 1	_ /	

I. (Original) The method of claim 1, wherein the audit record includes:

a user name for a user making the query;

a time stamp specifying a time of the query; and 3

X	+
4	

7

8

9

10

15

16

1

2

3

a tex	t of	the q	uery.
-------	------	-------	-------

10

	Ψ.	/
1	_8. (O)	riginal) The method of claim 1, wherein the auditing condition
2	includes a co	ndition for a field within the relational database.
	1091	

1	9. (Currently amended) A computer-readable storage medium storing
2	instructions that when executed by a computer cause the computer to perform a
3	method for selectively auditing accesses to a relational database, the method
4	comprising:
5	receiving a query for the relational database;
6	selectively auditing an access to the relational database, wherein selective

selectively auditing an access to the relational database, wherein selectively auditing the access involves automatically modifying the query prior to processing the query, so that processing the query causes an audit record to be created and recorded only for rows in relational tables that are actually accessed by the query and that satisfy an auditing condition and not for other rows,

wherein the auditing condition specifies a condition based on a value of a field in a row in the relational database, and

wherein satisfying the additing condition allows selective auditing of the query;

processing the modified query to produce a query result, wherein processing the modified query includes,

17 creating the audit record for rows in relational tables that are
18 accessed by the query and that satisfy the auditing condition, and
19 recording the audit record in an audit record store; and
20 returning the query result.

10. (Original) The computer-readable storage medium of claim 9, wherein the method further comprises, if the query includes a select statement, inserting a case statement into the select statement that calls a function that causes the audit record to be created and recorded if the auditing condition is satisfied.

2	+
9	

1

2

3

1

2

3

4

1

2

3

5

6

7

8

1

2

3

4

5

1	1 (Previously presented) The computer-readable storage medium of claim
2	10, wherein the method further comprises ensuring that the case statement is
3	evaluated near the end of the query processing to that the case statement is
4	evaluated only after other conditions of the query are satisfied.

12. (Original) The computer-readable storage medium of claim, wherein the method further comprises retrieving the auditing condition for a given table from a data structure associated with the given table.

13. (Original) The computer-readable storage medium of claim 9, wherein if the query modifies at least one entry in the relational database, the method further comprises using a relational database system trigger to create and record the audit record for the modification to the relational database.

14. (Original) The computer-readable storage medium of claim 10, wherein inserting the case statement into the query further comprises: inserting the case statement into the query; allowing a query processor to allocate buffers for the query; removing the case statement from the query; allowing the query processor to generate a query plan for the query; and scheduling the case statement near the end of the query plan to ensure that the case statement is evaluated only after other conditions of the query are satisfied, so that the audit record is created only for rows that are actually accessed by the 10 /query.

15. (Original) The computer-readable storage medium of claim 9, wherein the audit record includes: a user name for a user making the query; a time stamp specifying a time of the query; and a text of the query



Ł	+
4	Y
0	

20

l	16. (Original) The computer-readable storage medium of claims, wherein
2	the auditing condition includes a condition for a field within the relational database.
1	17. (Currently amended) An apparatus that selectively audits accesses to a
2	relational database, comprising:
3	a receiving mechanism that is configured to receive a query for the
4	relational database;
5	a selective auditing mechanism configured to selectively audit an access to
6	the relational database, the selective auditing mechanism including a query
7	modification mechanism that is configured to automatically modify the query, prior
8	to processing the query, so that processing the query causes an audit record to be
9	created and recorded only for rows in relational tables that are actually accessed by
10	the query and that satisfy an auditing condition and not for other rows,
11	wherein the auditing condition specifies a condition based on a value
12	of a field in a row in the relational database, and
13	wherein satisfying the auditing condition allows selective auditing of
14	the query;
15	a query processor that is configured to process the modified query to
16	produce a query result, wherein processing the modified query includes,
17	creating the audit record for rows in relational tables that are
18	accessed by the query and that satisfy the auditing condition, and
19	recording the audit record in an audit record store; and

1 18. (Original) The apparatos of claim 17, wherein if the query includes a 2 select statement, the query modification mechanism is configured to insert a case 3 statement into the select statement that calls a function that causes the audit record 4 to be created and recorded if the auditing condition is satisfied.

a returning mechanism that is configured to return the query result.

St Gl

1

2

3

4

1

2

3

1

2

3

4

1

2

3

4

5

6

7

8

1

(Previously presented) The apparatus of claim 18, wherein the query modification mechanism is configured to ensure that the case statement is evaluated near the end of the query processing so that the case statement is evaluated only after other conditions of the query are satisfied.

20. (Original) The apparatus of claim 17, wherein the query modification mechanism is configured to retrieve the auditing condition for a given table from a data structure associated with the given table.

21. (Original) The apparatus of claim 17, wherein if the query modifies at least one entry in the relational database, the apparatus uses a relational database system trigger to create and record the audit record for the modification to the relational database.

22. (Original) The apparatus of claim 18, wherein the query modification mechanism is configured to:

insert the case statement into the query;

allow the query processor to allocate buffers for the query;

remove the case statement from the query;

allow the query processor to generate a query plan for the query; and

schedule the case statement near the end of the query plan to ensure that the case statement is evaluated only after other conditions of the query are satisfied, so that the audit record is created only for rows that are actually accessed by the query.

9 that the audit record is created only for rows that are actually accessed by the query

23. (Original) The apparatus of claim 17, wherein the audit record includes:

a user name for a user making the query;

a time stamp specifying a time of the query; and

4 a text of the query.

St

24. (Original) The apparatus of claim 17, wherein the auditing condition

2 includes a condition for a field within the relational database.